

ADDITIONAL PRODUCT INFORMATION

产品附加信息

Manufacturer: De’Longhi Appliances S.r.l.; Via L. Seitz, 47; 31100 TREVISO - Italy
制造商：意大利德龙股份有限公司

Product Category: Auto and Espresso Coffee Machines (Types: ECAM450.76.T)

产品类别：自动咖啡机(型号 ECAM450.76.T)

Intended Use of the product: The appliances is intended to brew a wide variety of coffee, milk and hot water beverages. For further information on correct use and maintenance refer to User Manual.

产品用途：此产品用于制作多种咖啡，牛奶和热水。如需进一步了解有关正确使用、维护机器的信息，请参考产品说明书。

Reference to Specific Name or Type of the product and Production Date are in the Rating label.
产品的型号和生产日期请参考产品标贴



The product complies with the relevant requirements applicable to this product specified in GB 4806.1-2016 “National Food Safety Standard – General Safety Requirements on Food Contact materials and their Products”, GB 9685 – 2016 “National Food Safety Standard – Standard of Use of additives for food contact materials and their products” as well as the specific National Food Safety Standard on material that can come into contact with food included in such product

Materials		Regulation Reference
Plastic	SAN, ABS, PA6, PA66, PBT, POM, PP, PPA, PPS, PTFE, PSU, PA12, PVDF, PETG,TPE	GB 4806.7-2016
Metal materials and Stainless Steel	S 30210 (AISI 302); S 30408 (AISI 304); Y 13 (AISI 1.0736); * EN1.4106; S30110 (AISI301); **EN1.4114; S30317 (AISI 303); S30403 (EN 1.4307); S22053; YL102	GB 4806.9-2016
Rubber and Silicone	SILICONE ; SILICONE WACKER LR3003; SILICONE WACKER R4001;	GB 4806.11-2016

	SILICONE WACKER LR3066; SILICONE WACKER LR401; SILICONE LR 3004, FKM; EPDM	
--	--	--

* EN 1.4106 (Cmax 0.03%, Si max 2%, Mn max 1%, Pmax 0.040%, S 0.25-0.35%, Cr 17-19%, Mo 1.5-2.5%)

**EN 1.4114 (C max 0.08%, Si max 1%, Mn max 2.5%, P max 0.04%, S 0,15-0.35%, Cr 17,5-19,5%, Mo 1,5-2,5%, Ni <=0,75%)

此产品符合中国的相关食品接触产品的法律：

GB4806.1-2016 食品接触材料及制品通用安全要求

GB9685-2016 食品接触材料及制品用添加剂使用标准

材质		符合标准
塑料	SAN, ABS, PA6, PA66, PBT, POM, PP, PPA, PPS, PTFE, PSU, PA12, PVDF, PETG,TPE	GB 4806.7-2016 食品接触用塑料材料及制品
金属和不锈钢	S 30210 (AISI 302); S 30408 (AISI 304); Y 13 (AISI 1.0736); *EN1.4106; S30110 (AISI301); **EN1.4114; S30317 (AISI 303); S30403 (EN 1.4307); S22053; YL102	GB 4806.9-2016 食品接触用金属材料及制品
硅胶	硅胶; 硅胶 WACKER LR3003; 硅胶 WACKER R4001; 硅胶 WACKER LR3066; 硅胶 WACKER LR401; 硅胶 LR 3004; 氟橡胶; EPDM	GB 4806.11-2016 食品接触用橡胶材料及制品

* EN 1.4106 (Cmax 0.03%, Si max 2%, Mn max 1%, Pmax 0.040%, S 0.25-0.35%, Cr 17-19%, Mo 1.5-2.5%)

**EN 1.4114 (C max 0.08%, Si max 1%, Mn max 2.5%, P max 0.04%, S 0,15-0.35%, Cr 17,5-19,5%, Mo 1,5-2,5%, Ni <=0,75%)

其中 max 表示最大

