KENWOOD



JK700

Introduction

Your new Kenwood Cordless Kettlejug has been designed to simplify the task of connecting and disconnecting the appliance to the power supply. A water level indicator and an extra wide spout give added convenience when filling. To get the best from your new kettlejug spare a few moments to read this instruction booklet.

IMPORTANT SAFEGUARDS

When using electrical appliances consideration should always be given to basic safety precautions including:

1. 3

9.

- Read all instructions. 2. Remove any display labels from the side of the kettlejug before use.
- Never overfill your kettleiug, it may eiect boiling water, Always ensure that the lid is in place during use. 4. Never attempt to fill or pour water from the kettlejug when
- connected to the powerbase.
- 5. Do not immerse the appliance or powerbase in water.
- Take care to avoid contact with steam when removing the lid or with 6. steam from the spout when the kettle is boiling.
- 7. Keep small children away from the kettle. 8. Use only for heating water and never use the kettlejug outdoors. Keep the kettlejug and powerbase away from hot surfaces such as
 - cooker hotplates, or gas burners.
- Do not use if the appliance or supply cord appear damaged. 11. The kettleiug JK700 should only be used with the powerbase provided. Ensure that the kettleiug is switched off before removing
- from the powerbase. 12. Always ensure that the powerbase is clean and dry.

SAVE THESE INSTRUCTIONS

CAUTION - If there is a risk of the supply cord overhanging the work surface we recommend that you shorten the supply cord. Choose the minimum length required to suit the location of your socket outlet. Follow the plug wiring instructions carefully when refitting the plug.

If the supply cord of the appliance is damaged, it must only be replaced by a repair shop appointed by Kenwood Ltd, as special purpose tools are required.

Boil Dry Protection

The kettlejug is fitted with a safety device which protects against overheating should the appliance be operated with insufficient water. If this occurs the kettlejug will stop heating up. Switch OFF and allow the kettlejug to cool before re-filling. The safety device resets automatically when the kettle has cooled down.

Cleaning and Care

After use disconnect the powerbase at the power supply, unplug and allow the kettle to cool. Clean the powerbase and kettlejug exterior with a damp cloth and polish with a dry one. Ensure that the powerbase is dried thoroughly. Do not use abrasive cleaners which will scratch the plastic surface.

To remove any discoloration from inside the kettle, use bicarbonate of soda on a damp cloth and wipe over. Rinse thoroughly with clear water to remove any residue.

Descaling

In certain areas furring or lime deposits will form on the heating element which will result in increased boiling times and can affect the kettlejug operation. If this deposit is not removed it can cause permanent damage to the kettlejug. The scale can be removed by using an appropriate descalent available from most leading supermarkets, department and hardware stores or chemists. After descaling, the kettlejug should be boiled with fresh water several times before use. Excessive use of descalents should be avoided as this may shorten the life of the kettlejug element. Ensure that the exterior of your kettlejug is thoroughly cleaned to remove any traces of descalent, failure to do so may damage your kettlejug.

Diagon Note

In some parts of the country, you may find that the water boiled in your kettle looks cloudy. The cause is Calcium Carbonate (chalk) which is dissolved in water, but becomes deposited as a solid on the side of the kettle, or the surface of the water, when boiled. This cloudiness is not harmful, and can be minimised by boiling only enough water for your needs, rinsing out and refilling with fresh water between boils. This kettle is made from food approved materials, which will not affect the water

Service

UK only

For any repairs in or out of guarantee, servicing or selected spare parts, please contact your Kenwood Authorised Repairer in Yellow Pages under the ELECTRICAL DOMESTIC section or telephone (01705) 476000 Service Department.

Eire

Contact local repairer from advertisement in the Golden Pages.

All Other Markets

Contact the dealer from whom you purchased your appliance.

Preparing your Kettlejug


Before using for the very first time or after long periods of prolonged storage fill the kettle to the maximum level, boil the water and discard.

To Boil Water

- Fill the kettlejug by means of the spout or by removing the lid. Use the water level gauge as a guide. Make sure that the water level is within the MAX indicated and MIN marks. Always use fresh water for each usage and discard any boiled water that is not used. Remember that it is not economical to boil more water that you need but you should always check that there is water covering the element before you switch on. This will help prolong the life of your kettlejug. Do not leave water kettle in the for periods prolonged overnight.
- To position lid locate front end of lid against spout of kettle as shown in sketch, lower lid onto kettle and press rear end firmly into position.
- Fit the lid to the kettle. Stand the powerbase on a firm, level surface and position the kettlejug on it. Plug into the electricity supply and switch ON at the ON OFF switch.



ON




 When the water boils the kettlejug will automatically switch off. To reboil, it may be necessary to wait a few seconds before the switch can be reset.


 After use the kettlejug should be disconnected by switching off at the power supply.

Note: After several boils the switch may operate with a double click. Make sure the switch is moved fully to 'ON' position when re-boiling.

On occasions a small bead of water may appear on the worktop below the drain hole under the kettle. This is due to condensation forming inside the cover and is quite normal and should be disregarded.



Know your Kenwood Kettlejug



Connecting to Power
Before switching on make sure that the voltage of your electricity supply is the same as that indicated on the rating plate.

IMPORTANT (UK ONLY) The wires in the mains lead are coloured in accordance with the following code:-

> **GREEN AND YELLOW** BLUE BROWN

EARTH NEUTRAL LIVE

WARNING - THIS APPLIANCE MUST BE EARTHED

NOTE: This appliance complies with European Economic Community Directive 89/336/EEC.

Spilling Tea and Coffee

UK NO. 1 SCALD ACCIDENT

Every year around 30,000 children go to hospital with SCALDS. A few are so badly injured they die. Young children are at risk of serious injury from the "hot stuff" we use every day.

Even what appear to be minor accidents can have serious results - sometimes fatal. Because children are not as big as adults, it only takes a small amount of liquid to scald a large area of their bodies. Children grow very quickly but injured areas can develop at a different rate. This can mean regular visits to hospital for new skin to be grafted as the child grows.

- Always keep hot drinks well out of children's reach.
- Don't hold baby when you're drinking and if you're passing a hot drink to someone else, make sure a child isn't underneath.
- Both the kettle and the kettle lead should be placed where children can't grab at them, well away from the front of the work top. The lead should never hang over the edge.
- Keep the kettle lead as short as practicable so it's harder for your child to reach up and pull it.
- Turn pan handles away from the edge of the cooker.
- Arrange to keep younger children away from kitchen working areas as much as possible.
- At baby's bath time, run cold water into the bath first, then add the hot. Mix the water well and test the temperature with your elbow before you put baby in.
- As your children grow up, teach them more about "hot stuff" and how it should be handled.

WHAT IF YOU DO HAVE AN ACCIDENT?

(Advice from the British Burn Association):-

RUN COLD WATER OVER THE SCALD RIGHT AWAY

Don't stop to remove clothing

THEN GET MEDICAL HELP, for anything but the smallest accident.

