

711413091 00 021

## **DCH Series**

TERMOVENTILATORE CERAMICO

RADIATEUR SOUFFLANT CÉRAMIOUE

CERAMIC FAN HEATER

مروحة حرارية سيراميكية

DēLona

**KERAMIKHEIZER** 

KERAMISCHE VENTILATORKACHEL TERMOVENTILADOR CERÁMICO TERMOVENTILADOR CERÂMICO ΚΕΡΑΜΙΚΟ ΑΕΡΟΘΕΡΜΟ КЕРАМИЧЕСКИЙ ТЕРМОВЕНТИЛЯТОР КЕРАМИКАЛЫҚ ЖЫЛЫТУ ЖЕЛДЕТКІШІ КЕРАМІЧНИЙ ТЕПЛОВЕНТИЛЯТОР TERMOVENTII ÁTOR KERÁMIA FLI ENÁLI ÁSSAL TEPI OVZDUŠNÝ KERAMICKÝ VENTIL ÁTOR KERAMICKÝ TEPELNÝ VENTILÁTOR TERMOWENTYL ATOR CERAMICZNY KERAMIKKVIFTEOVN KERAMISK VÄRMEFLÄKT KERAMISK VARMLUFTBLÆSER KERAAMINEN TUULETINLÄMMITIN KERAMIČKI TERMOVENTILATOR KERAMIČNI VENTILATORSKI KALORIFER КЕРАМИЧЕН ТЕРМОВЕНТИЛАТОР TERMOVENTILATOR CERAMIC SERAMİK ISITICI VANTİLATÖR



pag. 4	<b>EN</b> page 7	FR page 9	<b>DE</b> S.11	<b>NL</b> pag. 14	
<b>ES</b> pág. 17	PT pág. 20	<b>EL</b> σελ. 23	<b>RU</b> стр. 26	<b>КZ</b> Бет. 29	
<b>UК</b> стор. 32	HU old. 35	<b>CS</b> str. 38	SK str. 40	PL str. 42	
<b>NO</b> sid. 45	<b>SV</b> sid. 47	DA sid. 49	FI siv. 51	HR str. 54	
SL str. 56	<b>ВG</b> стр. 58	<b>RO</b> pag. 61	TR Sey. 64	<b>AR</b> 2 صفحة	

## **ELECTRICAL CONNECTION (UK ONLY)**

- A) If your appliance comes fitted with a plug, it will incorporate a 13 Amp fuse. If it does not fit your socket, the plug should be cut off from the mains lead, and an appropriate plug fitted, as below.
  - WARNING: Very carefully dispose of the cut off plug after removing the fuse: do not insert in a 13 Amp socket elsewhere in the house as this could cause a shock hazard.
  - With alternative plugs not incorporating a fuse, the circuit must be re-fitted when changing the fuse using a 13 Amp Asta approved fuse to BS 1362. In the event of losing the fuse cover, the plug must NOT be used until a replacement fuse cover can be obtained from your nearest electrical dealer. The colour of the correct replacement fuse cover is that as marked on the base of the plug.
- B) If your appliance is not fitted with a plug, please follow the instructions provided below:

## **Important**

The wires in the mains lead are coloured in accordance with the following code:

Blue: Neutral Brown: Live

As the colours of the wires in the mains lead of this appliance may not correspond with the coloured markings identifying the terminals in your plug, proceed as follows:

The wire which is coloured blue must be connected to the terminal which is marked with the letter N or coloured black. The wire which is coloured brown must be connected to the terminal which si marked with the letter L or coloured red.



