
IRONING SYSTEM WITH PRESSURIZED STEAM GENERATOR

SYSTEME DE REPASSAGE AVEC CHAUDIERE SOUS PRESSION

BÜGELSTATION MIT DRUCK-DAMPFKAMMER


SISTEMA STIRANTE CON CALDAIA IN PRESSIONE

STRIJKSYSTEEM MET VERWARMINGSELEMENT ONDER DRUK

SISTEMA PARA PLANCHAR CON CALDERA BAJO PRESION

SISTEMA PARA PASSAR ROUPAS COM CALDEIRA PRESSURIZADA

ΑΤΜΟΣΥΣΤΗΜΑ ΜΕ ΛΕΒΗΤΑ ΥΠΟ ΠΙΕΣΗ



Instructions for use

Mode d'emploi

Gebrauchsanleitung

Istruzioni per l'uso

Gebruiksaanwijzingen

Instrucciones para el uso

Instruções para a utilização

Οδηγίες χρήσης

**TEMPERATURE TABLE • TABLEAU DES TEMPÉRATURES • TEMPERATURTABELLE •
 TABELLA DI RIFERIMENTO TEMPERATURE • REFERENTIETABEL TEMPERATUREN •
 TABLA DE REFERENCIA DE LAS TEMPERATURAS • TABELA DE TEMPERATURAS DE REFERÊNCIA •
 ΠΙΝΑΚΑΣ ΑΝΑΦΟΡΑΣ ΘΕΡΜΟΚΡΑΣΙΩΝ**

	GB	F	D	I	NL	E	P	GR
●	Acetate, acrylic, nylon, polyester, rayon	Acétate, acrylique, nylon, polyester, rayonne	Acetat, Acrylstoffe Nylon, Polyester, Rayon	Acetato, acrilico, nylon, poliestere, rayon	Acetaat, acryl, nylon, polyester, rayon	Acetato, acrílico, nylon, poliéster, rayón	Acetato, acrílico, nylon, poliester, rayon	Συνθετικά, ακρυλικά, νάιλον, πολυέστερ, ραγιόν
● ●	Silk	Soie	Seide	Seta	Zijde	Seda	Seda	Μεταξωτά
● ● ✿	Wool, cotto, fine linen	Laine, coton, lin fin	Wolle, Baumwolle, feines Leinen	Lana, cotone, lino fino	Wol, katoen, fijn linnen	Lana, algodón, lino fino	Lã, algodão, linho fino	Μάλλινα, βαμβακερά, λεπτά λινά
● ● ● ✿	Cotton, linen, starched, clothes	Coton, lin, tissus humectés amidonnés	Baumwolle, Leinen, gestärkte Stoffe	Coton, lino, tessuti inamidati	Katoen, linnen, gestijfde stoffs	Algodón, lino, tejidos almidonados	Algodão, linho, tecidos com goma	Βαμβακερά, λινά, κολλαριστά υφάσματα

ELECTRICAL CONNECTION (UK ONLY)

- A) If your appliance comes fitted with a plug, it will incorporate a 13 Amp fuse. If it does not fit your socket, the plug should be cut off from the mains lead, and an appropriate plug fitted, as below.
 WARNING: Very carefully dispose of the cut off plug after removing the fuse: do not insert in a 13 Amp socket elsewhere in the house as this could cause a shock hazard.
 With alternative plugs not incorporating a fuse, the circuit must be protected by a 15 Amp fuse.

**WARNING - THIS APPLIANCE MUST BE EARTHED
 IMPORTANT**

The wires in the mains lead are coloured in accordance with the following code:

Green and yellow: Earth
 Blue: Neutral
 Brown: Live



If the plug is a moulded-on type, the fuse cover must be re-fitted when changing the fuse using a 13 Amp Asta approved fuse to BS 1362. In the event of losing the fuse cover, the plug must NOT be used until a replacement fuse cover can be obtained from your nearest electrical dealer. The colour of the correct replacement fuse cover is that as marked on the base of the plug.

- B) If your appliance is not fitted with a plug, please follow the instructions provided below:

As the colours of the wires in the mains lead may not correspond with the coloured markings identifying the terminals in your plug, proceed as follows:

The green and yellow wire must be connected to the terminal in the plug marked with the letter E or the earth symbol  or coloured green or green and yellow.

The blue wire must be connected to the terminal marked with the letter N or coloured black.

The brown wire must be connected to the terminal marked with the letter L or coloured red.

