



INSTALLATION and SERVICE INSTRUCTIONS USE and CARE INSTRUCTIONS



CONTENTS

Installation	Page	4
Use and care		9
lultifunction ovens		11
Plurifunction ovens		
Cleaning and maintenance	44	26

IMPORTANT PRECAUTIONS AND RECOMMENDATIONS

After having unpacked the appliance, ceck to ensure that it is not damaged. In case of doubt, do not use it and consult your supplier or a professionally qualified technician.

Packling elements (i.e. plastic bags, polystyrene foam, nails, packing straps, etc.) should not be left around within easy reach of children, as these may cause serious injures.

- Do not attempt to modify the technical characteristics of the appliance as this may become dangerous to use.
- Do not carry out cleaning or maintenance operations on the appliance without having previously disconnected it from the electric power supply.
- If you should decide not to use this appliance any longer (or decide to substitute an older model), before disposing of it, it is recommended that it be made inoperative in an appropriate manner in accordance to health and environmental protection regulations, ensuring in particular that all potentially hazardous parts be made harmless, especially in relation to children who could play with unused appliances.

WARNING:

- This appliance is to be installed only by an authorised person.
- This appliance must be used only for the task it has explicity been designed for, that is for cooking foodstuffs. Any other form of usage is to be consired as inappropriate and therefore dangerous.
- Do NOT place combustible materials or products on this appliance at any time.
- The oven door be comes very hot during operation. Keep children well out of reach.

IMPORTANT PRECAUTIONS AND RECOMMENDATIONS FOR USE OF ELECTRICAL APPLIANCES

Use of any electrical appliance implies the necessity to follow a series of fundamental rules. In particular:

- Never touch the appliance with wet hands or feet.
- Do not operate the appliance barefooted.
- Do not allow children or other incapable people to use the appliance without your supervision.

The manufacturer cannot be held responsible for any damages caused by improper, incorrect or illogical use of the appliance.

INSTALLATION

CAUTION:

In order to avoid a hazard this appliance must be installed according to these instructions for installation.

ELECTRICAL REQUIREMENTS


- The oven is supplied without a power supply plug and therefore if you are not connecting directly to the mains, a standardized plug suitable for the load must be fitted.
- Connection to the mains must be carried out by qualified personnel in accordance with current regulations.
- The appliance must be connected to the mains checking that the voltage corresponds to the value given in the rating plate and that the electrical cable sections can withstand the load specified on the plate.
- The plug must be connected to an earth socket in compliance with safety standards.
- The oven must be connected directly to the mains placing an omnipolar switch with minimum opening between the contacts of 3 mm between the appliance and the mains.
- The power supply cable must not touch the hot parts and must be positioned so that it does not exceed 75°C at any point.
- Once the oven has been installed, the switch or socket must always be accessible.
- If the power supply cable is damaged it must be substituted by a suitable cable available in the after sales service.

N.B. For connection to the mains, do not use adapters, reducers or branching devices as they can cause overheating and burning.

If the installation requires alterations to the domestic electrical system or if the socket and appliance plug are incompatible, call an expert.


He should also check that the socket cable section is suitable for the power absorbed by the appliance.

ELECTRIC DIAGRAM - MULTIFUNCTION OVENS



F1 Oven commutator TE Oven thermostat TL Oven thermolimitator PR **Programmer** Oven lamp LF Cooling fan CF Fan V Line pilot lamp S1 Thermostat pilot lamp S2 Top element С **Grill element** G Circular element н **Bottom element** S **Terminal block** M Earth plant Т

ELECTRIC DIAGRAM - PLURIFUNCTION OVENS



113859

- F1 Oven commutator
- TE Oven thermostat
- LF Oven lamp
- CC Oven cutoff
- S1 Thermostat pilot lamp
- TL Thermolimitator
- M Terminal block
- C Top element
- G Grill element
- S Bottom element
- **CF Cooling fan**
- V Fan
- T Earth plant


FITTING REQUIREMENTS

The oven must be built-in in a standard module of forniture of 60 cm width and depth.

It is to be fit up in a module having the clearance as shown in the pictures.

On the lower side, the oven must lay on supports standing the oven weight.

The ovens are secured by four screws that pass through the surround. They must locate firmly and squarely in the edges of the cabinet or add panels to achieve a secure location.



The walls surrounding the oven must be made of heat-resistant material. Both the veneered plastic and the adhesive used must be resistant to temperatures of 120°C in order to prevent unsticking and deformation.


Figure 2


FITTING THE OVEN INTO A BASE

The space available should be of the dimensions shown in the figures.

Arrangements should be made for an adequate supply of the air to the oven to avoid overheating.

To have a good air circulation on the front bottom part and the top part of the cabinet, you must foresee adequate air supplies (see figures).






FITTING THE OVEN INTO A COLUMN

The cabinet should nave the dimensions as per fig. 3 and should be supplied with lateral supports to permit a good cooling air circulation.

Furthermore it is necessary that the oven is provided with a chimney as per fig. 3 and 4. If the column unit reaches the ceiling an outlet must be provided through which air can flow to the outside.



USE and CARE

CAUTION:

- This appliance must be used only for the task it has axplicitly been designed for, that is for cooking foodstuffs. Any other form of usage is to be considered as inappropriate and therefore dangerous.
- Do NOT place combustible materials or products on this appliance at any time.

USING THE OVEN FOR THE FIRST TIME

PLURIFUNCTION OVENS:

- You are advised to carry out the following operations:
- Clean the inside of the oven with a cloth soaked in water and neutral datergent and dry thotoughly.
- Hang up the wire racks on the oven walls (Figure 5).
- Slide in, on the guides, the shelf and the tray etc. (Figure 6).
- To eliminate traces of grease from the heating elements, switch on the oven on, to the maximum temperature in this ways:

for 60 minutes in the \square position and for another 15 minutes in the \square position.

Figure 5




Figure 6

MULTIFUNCTION OVENS:

- You are advised to carry out the following operations:
- Clean the inside of the oven with a cloth soaked in water and neutral datergent and dry thotoughly.
- Hang up the wire racks on the oven walls (Figure 7). In the models with catalytic panels interpose the panels "A" (Figure 8).
- Slide in, on the guides, the shelf and the tray etc. (Figure 9).
- To eliminate traces of grease from the heating elements, switch on the oven on, to the maximum temperature in this ways: for 60 minutes in the position, for 30 minutes in the position and for another 15 minutes in the position.

Figure 7




Figure 8





Figure 9



MULTIFUNCTION OVENS

GENERAL FEATURES

As its name indicates, this is an oven thet presents particular features from an operational point of view. In fact, it is possible to insert 7 different programs to satisfy every cooking need. The 7 positions, thermostatically controlled, are obtained by 4 heating elements.

OPERATING PRINCIPLES

Heating and cooking in the MULTI-FUNCTION oven are obtained in the following ways:

- by normal convection
 The heat is produced by the upper and lower heating elements.
- by forced convection

A fan sucks in the air contained in the oven muffle, which sends it through the circular heating element and then sends it back through the muffle. Before the hot air is sucked back again by the fan to repeat the described cycle, it envelops the food in the oven, provoking a complete and rapid cooking.

It is possible to cook several dishes simultaneously.

- by semi-forced convection

 The heat produced by the upper and lower heating elements is distributed throughout the oven by the fan.
- by radiation The heat is irradiated by the infra red grill element.
- by radiation and ventilation
 The irradiated heat from the infra red grill element is distributed throughout the oven by the fan.

Figure 10





Figure 11

Multi Function plus



Temperature



FUNCTION SELECTOR KNOB

Rotate the knob clockwise to set the oven for one of the following functions.

THERMOSTAT KNOB

This only sets the cooking temperature and does not switch the oven on.

Rotate clockwise until the required temperature is reached (from 50 to 250°C).



OVEN LIGHT

By turning the knob onto this setting you light the oven cavity (15 W). The light remains on while any of the functions are being used.



TRADITIONAL CONVECTION COOKING

The upper and lower heating elements come on. The heat is dispersed by natural convection and the temperature must be set to between 50° and 250° C via the thermostat knob.

The oven must be preheated before cooking.

Recommended for:

Food that requires the same degree of cooking both inside and out, for example roasts, spare pork ribs, meringues etc.



GRILLING

The infrared electrical resistance comes on. The heat is dispersed by radiation. Use with the thermostat knob set to 250°C and the **oven door closed**. For cooking hints, see the chapter "USE OF THE GRILL".

Recommended for:

Intense grilling, browining, cooking au gratin and toasting, etc.

It is recommended that you do not grill for longer than 30 minutes at any one time.

The oven door becomes very hot during operation. Keep children away.



DEFROSTING FROZEN FOODS

Only the oven fan comes on. Use with the thermostat knob set to "0" - other positions have no effect. The food is thawed by ventilation without heating.

Recommended for:

Quick thawing of frozen foods; one kg requires approximately 1 hour.

Thawing times vary according to the quantity and type of food to be thawed.



HOT AIR COOKING

The circular resistance and fan come on. The heat is dispersed by forced convection and the temperature can be regulated to between 50° and 250°C via the thermostat knob. The oven does not require preheating.

Recommended use for:

Food which has to be well-cooked outside and soft or rosy inside, for example lasagne, lamb, roast beef, whole fish etc.



VENTILATED GRILL COOKING

The infrared grill and the fan come on. The heat is diffused mainly by radiation and the fan then distributes it all over the oven.

<u>Use with the door closed.</u> The temperature can be regulated via the thermostat knob to between 50° and 200° max. The oven must be preheated for approximately 5 minutes. For cooking honts, see the chapter "GRILLING ANDAU GRATIN".

Recommended for:

Grilling where quick browning on the outside is required to keep the juices in. For example: veal fillets, chops etc.

It is recommended that you do not grill for longer than 30 minutes at any one time.

The oven door becomes very hot during operation. Keep children away.



MAINTAINING TEMPERATURE AFTER COOKING OR SLOWLY HEATING FOODS

The upper resistance, the circular resistance and the fan come on.

The heat is dispersed by forced convection with great intensity in the upper part.

The temperature can be set to between 50° and 140° via the thermostat knob.

Recommended for:

Keeping food warm after any type of cooking. Slow heating of cooked food.



CONVECTION COOKING WITH VENTILATION

The upper and lower heating elements come on and heat is dispersed through the oven by the fan. The temperature must be set to between 50° and 250° C via the thermostat knob.

Recommended for:

Voluminous dishes and large quantities which require the same degree of cooking both inside and out, for example rolled roasts, turkey, roast legs, cakes etc.

COOKING ADVICE

STERILIZATION

For sterilization of food for preserving in jars follow the instructions below (jars must be full and hermically sealed):

- Set the switch to position ⑧ .
- Set the thermostat knob to 185° C and preheat the oven.
- Fill the drip pan with hot water.
- Set the jars onto the dripping pan making sure they do not touch each other and the door and set the thermostat knob to 135° C.

Once the sterilization process has begun, i.e. when you begin to see bubbles in the jars, switch the oven off and leave to cool.

REGENERATION

Set the function knob to and the thermostat to 150° C.

The bread will regain its fragrance if moistened with a few drops of water and placed in the oven for approximately 10 minutes

SIMULTANEOUS COOKING OF DIFFERENT FOODS

With the function selector in position . , the ventilated oven allows you to cook different types of food at the same time. Fish, cakes and meat can be cooked together without the smells and flavours mixing.

The following precautions are required:

- The cooking temperatures must be as close as possibile with a maximum difference of 20°÷25° C between the different foods.
- Different dishes must be placed in the oven at different times according to the cooking time required for each one.

This type of cooking obviously provides a considerable saving on time and energy.

GRILLING AND COOKING "AU GRATIN"

With the function selector in position Ξ , the food is grilled on all sides as the hot air completely envelopes it.

Set the thermostat to 175° C and simply place the food under the grill.

Close the door and leave the oven to run with the thermostat set as required to between 100° and 175° C until grilling is complete.

Add a few curls of butter just before the end to give a golden gratiné effect.

Do not grill for longer than 30 minutes at any one time.

ROASTING

To obtain classical roasting, it is necessary to remember:

- that it is advisable to maintain a temperature between 180° and 200°C.
- that the cooking time depends on the quantity and the type of foods.

USE OF THE GRILL

Switch the grill on, setting the two knobs (function selector and thermostat) to position 250°C for 15 minutes, then to position 175°C.

Preheat the oven for about 5 minutes with the **door closed**.

Introduce the food to be cooked, positioning the rack as close to the grill as possible.

The dripping pan should be placed under the rack to catch the cooking juices and fats.

Do not grill for longer than 30 minutes at any one time.

ELECTRONIC PROGRAMMER


The electronic programmer is a device that groups together the following functions:

- ò 24 hour clock with illuminated display
- ò Timer (up to 23 hours and 59 minutes)
- Programme for automatic oven cooking
- ò Programme for semi-automatic oven cooking.

Description of the buttons:







- Manual position and cancellation of the inserted cooking program
- A Advancement of the numbers of all programs
- ∀ Tuming back of the numbers of all programs and changing the frequency of the audible signal

Description of the lighted symbols:

AUTO - flashing - Programmer in automatic position but not programmed.

AUTO - always lighted - Programmer in automatic position with programme inserted

Automatic cooking taking place

💢 Timer in operation

and AUTO - flashing - Programme error.

(The time of day lies between the calculated cooking start and end time).

Note: Select a function by the rispective button and, in 5 seconds, set the required time with the A/V buttons ("one-hand" operation). A power cut zeroes the clock and cancels the set programmes.

Figure 12



ELECTRONIC CLOCK

The programmer is equipped with an electronic clock with lighted numbers which indicate hours and minutes.

Upon immediate connection of the oven or after a blackout, three zeroes will flash on the programmer panel.

To set the hour it is necessary to push the button \emptyset and then the \triangle or \forall button until you have set the exact hour.

Alternatively, simultaneously push the

time push the A or V button.

The exact flour.

Note: Setting the clock deletes any programme.

Figure 13



NORMAL COOKING WITHOUT THE USE OF THE PROGRAMMER

To manually use the oven, that is, without the aid of the programmer, it is necessary to cancel the flashing AUTO by pushing the button (AUTO will be switched off and symbol will go on).

Attention: If the AUTO is not flashing (which means a cooking program has already been inserted), by pushing the button gramme and switched to manual.

Figure 14



ELECTRONIC TIMER

The time programme consists only of a buzzer which may be set for a maximun period of 23 hours and 59 minutes.

If the AUTO is flashing push the 🖑 button.

To set the time, push the $\overset{\frown}{\bowtie}$ button and the $\overset{\frown}{\bowtie}$ or $\overset{\bigvee}{\lor}$ until you obtain the desired time.

Having finished the setting, the normal time will appear on the panel and the $\mbox{\ensuremath{\Basel{Basel}\Basel}}$ symbol will appear.

The countdown will start immediately and may be seen at any moment on the panel by simply pressing the button Δ

At the end of the time, the \Breve{a} symbol will be switched off and an intermittent buzzer will go off: this can be stopped by pressing any one of the buttons.

SETTING THE FREQUENCY OF THE AUDIBLE SIGNAL

By pressing the \forall button you can choose from three variations.

Figure 15



AUTOMATIC OVEN COOKING

To cook food automatically in the oven, it is necessary to:

- 1. Set the length of the cooking time
- 2. Set the end of the cooking time
- 3. Set the temperature and the oven cooking programme.

These operations are done in the following way:

1. Set the length of the cooking time by pushing the button and the button to advance, or to go back if you have passed the desired time. The AUTO and the symbol will be on.

2. Set the end of the cooking time by pressing the ★ button (the cooking time already added to the clock time will appear), and the △ button; if you pass the desired time you may get back by pushing the ♥ button.

After this setting, the \Rightarrow symbol will go off. If after this setting, the AUTO flashes on the panel and buzzer goes off, it means there was an error in the programming.

In this case, modify the end of cooking time or the cooking time itself by following the above instructions again.

3. Set the temperature and the cooking programme by using the switch and thermostat knobs of the oven (see specific chapters).

Now the oven is programmed and everything will work automatically, that is the oven will turn on at the right moment to end the cooking at the established time. During cooking the 🛱 symbol remains on.


By pushing the $\stackrel{\text{...}}{\smile}$ button you can see the time that remains until the end of cooking.

The cooking programme may be cancelled in any moment by pushing 🖑 .

At the end of the cooking time the oven will turn off automatically, the $\overset{\text{\tiny av}}{\hookrightarrow}$ symbol will turn off, AUTO will flash and buzzer will sound, which can be turned off bu pushing any of the buttons.

Turn the switch and thermostat knobs to zero and put the programmer onto "manual" by pressing the $^{\textcircled{m}}$ button.

Attention: A power cut makes the clock go to zero and cancels the set programs. After a power cut three zeroes will flash on the panel.



SEMI - AUTOMATIC COOKING

This is used to automatically switch off the oven after the desired cooking time has elapsed.

There are two ways to set yur oven:

Set the length of the cooking time by pushing the button and the A button to advance, or to go backwards if you have passed the desired time

or

2. Set the end of the cooking time by pushing the button and the button to advance, or ∀ to go backwards if you have passed the desired time.

AUTO and the 🛱 symbol will be on.

Then set the temperature and the cooking programme using the oven switch and thermostat knobs (see specific chapters).


The oven is switched on and it will be switched off automatically at the end of the desired time.

During cooking, the $\overset{\text{**}}{\leftrightarrows}$ symbol remains on and by pressing the button $\overset{\text{**}}{\leftrightarrows}$ you can see the time that remains till the end of the cooking.

The cooking programme can be cancelled at any moment by pushing the $^{\prime\prime\prime}$ button.

At the end of cooking, the oven and the symbol will turn off, the **AUTO** will flash and a buzzer will sound; that can be stopped by pushing any of the buttons.

Turn the sitch and thermostat knobs to zero and put the programmer onto "manual" by pressing the $\sqrt[m]{}$ button.



PLURIFUNCTION OVENS

GENERAL FEATURES

As its name indicates, this is an oven that presents particular features from an operational point of view. In fact, it is possible to insert 4 different programs to satisfy every cooking need. The 4 positions, thermostatically controlled, are obtained by 3 heating elements.

OPERATING PRINCIPLES

Heating and cooking in the 4-function oven are obtained in the following ways:

- by normal convection
 The heat is produced by the upper and lower heating elements.
- by forced convection
 The heat produced by the lower and upper heating elements is distributed in the oven by the fan.
 It is possible to cook several dishes simultaneously.
- by radiation
 The heat is irradiated by the infra red grill element.
- by radiation and ventilation
 The irradiated heat from the infra red grill element is distributed throughout the oven by the fan.

Temperature light

Temperature light

Temperature light

120' cut-off timer


Function selector

Thermostat

Multi Function

Temperature





FUNCTION SELECTOR KNOB

THERMOSTAT KNOB

Rotate the knob clockwise to set the oven for one of the following functions.

To turn on the heating elements of the oven, set the selector knob to the desired program and the thermostat knob to the desired temperature.

To set the temperature, line the knob indicator up with the desired number (50°-250° C). The elements will turn on or off automatically according to the heat needed, which is determined by the thermostat.

The operation of the heating elements is signalled by a light on the control panel.



OVEN LIGHT

By turning the knob onto this setting you light the oven cavity (15 W). The light remains on while any of the functions are being used.



TRADITIONAL CONVECTION COOKING

The upper and lower heating elements come on. The heat is dispersed by natural convection and the temperature must be set to between 50° and 250° C via the thermostat knob.

The oven must be preheated before cooking.

Recommended for:

Food that requires the same degree of cooking both inside and out, for example roasts, spare pork ribs, meringues etc.



CONVECTION COOKING WITH VENTILATION

The upper and lower heating elements come on and heat is dispersed through the oven by the fan. The temperature must be set to between 50° and 250° C via the thermostat knob.

Recommended for:

Voluminous dishes and large quantities which require the same degree of cooking both inside and out, for example rolled roasts, turkey, roast legs, cakes etc.



VENTILATED GRILL COOKING

The infrared grill and the fan come on. The heat is diffused mainly by radiation and the fan then distributes it all over the oven.

<u>Use with the door closed.</u> The temperature can be regulated via the thermostat knob to between 50° and 200° max.

For cooking hints, see chapter "GRILLING AND COOKING AU GRATIN".

Recommended for:

Grilling where quick browning on the outside is required to keep the juices in. For example: veal fillets, chops etc.

It is recommended that you do not grill for longer than 30 minutes at any one time.

The oven door becomes very hot during operation. Keep children away.



GRILLING

The infrared grill resistance comes on. The heat is dispersed by radiation. Use with the thermostat knob set to 250° and the **oven door closed**. For cooking hints, see the chapter "USE OF THE GRILL".

Recommended for:

Intense grilling, browining, cooking au gratin and toasting, etc.

It is recommended that you do not grill for longer than 30 minutes at any one time.

The oven door becomes very hot during operation. Keep children away.

COOKING HINTS

Remember to keep children away from the appliance when you use the grill or oven, since these parts become very hot.

STERILIZATION

For sterilization of food for preserving in jars follow the instructions below (jars must be full and hermically sealed):

- Set the switch to
- Set the thermostat knob to 175° C and preheat the oven.
- Fill the drip pan with hot water.
- Arrange the jars in the drip pan ensuring that they do not touch each other and after wetting the lids with water, close the oven and set the thermostat knob to 130° C.

Once the sterilization process has begun, i.e. when you begin to see bubbles in the jars, switch the oven off and leave to cool.

WARMING BREAD

Set the function knob to and the thermostat to 150° C.

The bread will regain its fragrance if moistened with a feww drops of water and placed in the oven for approximately 10 minutes

USE OF THE GRILL

Use with the <u>oven door closed</u> and the thermostat knob to position 250°C for 15 minutes, then to position 175°C.

Introduce the food to be cooked, positioning the rack as close to the grill as possible. The dripping pan should be placed under the rack to catch the cooking juices and fats.

Do not grill for longer than 30 minutes at any one time.

GRILLING AND COOKING "AU GRATIN"

Set the thermostat to 175° C and simply place the food under the grill.

<u>Close the door</u> and leave the oven to run with the thermostat set as required to between 100° and 175° C until grilling is complete.

Add a few curls of butter just before the end to give a golden gratiné effect.

Do not grill for longer than 30 minutes at any one time.

COOKING DIFFERENT DISHES AT THE SAME TIME

With the function selector in position \mathbf{x} , the ventilated oven allows you to cook different types of food at the same time. Fish, cakes and meat can be cooked together without the smells and flavours mixing.

The following precautions are required:

- The cooking temperatures must be as close as possibile with a maximum difference of 20°÷25° C between the different foods.
- Different dishes must be placed in the oven at different times according to the cooking time required for each one. This type of cooking obviously provides a considerable saving on time and energy.

COOKING EXAMPLES

Preheat the oven to the required temperature (the temperature light above the thermostat knob will go out) and place the food inside. Remember to use ovenproof dishes and to alter the oven temperature during cooking if necessary.


120' CUT-OFF TIMER

1) Starting up.

After setting the function selector and thermostat to the required mode and temperature, rotate the timer knob clockwise until you reach the required cooking time (max 120 minutes). Once this time has elapsed, the timer will return to the "0" position and the oven will automatically 105° switch off.

Figure 22

Timer



2) Manual position.

If the cooking time is longer than two hours or if you wish to use the oven manually, switching it off as required, the knob must be turned to position $^{\textcircled{m}}$.

CLEANING and MAINTENANCE

GENERAL ADVICE

It is advisable to clean when the appliance is cold and especially for cleaning the enamelled parts.

Avoid leaving alcaline or acid substances (lemon juice, vinegar, etc.) On the surfaces.

Avoid using cleaning products with a chlorine or acid base.

The oven must be always cleaned after every use, using suitable products and keeping in mind that its operation for 30 minutes on the highest temperature eliminates most grime reducing it to ashes.

Stainless steel surfaces: clean with a suitable product. Always dry thoroughly.

USE AND MAINTENANCE OF THE SELF-CLEANING CATALYTIC PANELS (models with catalytic panels)

The self-cleaning panels are coated in a special microporous enamel which absorbs and automatically eliminates spatters of oil and grease during normal cooking above 200°C.

If, after cooking very greasy foods, the panels are still dirty, run the oven empty at maximum temperature for approximately 30 minutes.

These panels do not require cleaning but periodically it is neverthless a good idea to take them out and dust with a soft damp cloth.

Do not wash or clean with abrasive products or products containing acids or alkalis.

The side panels are reversible and can be turned round and fitted on the other side when the microporous enamel is worn.

OVEN DOOR

The internal glass of the oven door can be easily removed for cleaning by unscrewing the two fixing screws.





Figure 23



GREASE FILTER

A special screen is provided at the back of the fan oven to catch grease particles, mainly when meat is being roasted (Figure 24).

When baking pastry etc, the filter should be removed.

Always clean the filter after cooking as any solid residues on it might adversely affect the oven performance.

GRILL (multifunction ovens)

The grill is secured to the rear wall of the oven on a hinge system that allows it to be lowered to allow proper access when cleaning the oven ceiling (figure 25).

SUBSTITUTION OF THE OVEN LIGHT

Be sure to switch off the electrical supply.

The light bulb must be a type resistant to high temperatures (300°C).

TROUBLESHOOTING:

If you acquire a problem with your oven, check the following points before calling an engineer.

- 1. The power is switched on.
- 2. The controls are switched on.
- 3. The 120' cut-off or the electronic timer are set to manual.
- 4. Both the fuse and the mains fuse are intact.

Should you still require an engineer then call the Service Centre.

Figure 24




Figure 25

